

| Natural England - Sensitive species list for England | | | | | |
|--|-------------------------------|---------------------------------|----------------|---|---|
| Taxon ID | Scientific Name | Common Name | Generalisation | What specific data are exempt from general release? | Threat/risk |
| Ambhians | | | | | |
| NHMSYS0020194823 | <i>Pelophylax lessonae</i> | Pool frog - Northern clade only | 10km | No sensitive attributes | Desirability - the species is threatened with collection |
| Beetles | | | | | |
| NHMSYS0001718842 | <i>Limoniscus violaceus</i> | Violet click beetle | 2km | No sensitive attributes | Fragility - the species is acutely vulnerable to disturbance or physical harm. Desirability - the species is threatened by collection |
| Birds | | | | | |
| NBNSYS0000000154 | <i>Recurvirostra avosetta</i> | Avocet | 1km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530526 | <i>Panurus biarmicus</i> | Bearded tit | 1km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530658 | <i>Tetrao tetrix</i> | Black grouse | 10km | Location of breeding pairs and regular leks | Desirability - the species is threatened with collection |
| NHMSYS0000530744 | <i>Phoenicurus ochruros</i> | Black redstart | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NBNSYS0000000225 | <i>Podiceps nigricollis</i> | Black-necked grebe | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NBNSYS0000000145 | <i>Limosa limosa</i> | Black-tailed godwit | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NBNSYS0000000180 | <i>Himantopus himantopus</i> | Black-winged stilt | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530216 | <i>Bubulcus ibis</i> | Cattle egret | 50km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530270 | <i>Cettia cetti</i> | Cetti's warbler | 1km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530726 | <i>Emberiza cirius</i> | Cirl bunting | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530386 | <i>Grus grus</i> | Common crane | 50km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NBNSYS0000000137 | <i>Aythya ferina</i> | Common pochard | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530319 | <i>Coturnix coturnix</i> | Common quail | 1km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530322 | <i>Crex crex</i> | Corn crake | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530645 | <i>Sylvia undata</i> | Dartford warbler | 1km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NBNSYS0000000176 | <i>Charadrius morinellus</i> | Dotterel | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |
| NHMSYS0000530210 | <i>Botaurus stellaris</i> | Eurasian Bittern | 10km | Location of breeding pairs | Desirability - the species is threatened with collection |

| | | | | | | |
|------------------|--------------------------------------|---------------------------|------|--|--|--|
| NBNSYS0000000255 | <i>Platalea leucorodia</i> | Eurasian spoonbill | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NBNSYS0000000188 | <i>Anas penelope</i> | Eurasian wigeon | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530578 | <i>Regulus ignicapilla</i> | Firecrest | 1km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NBNSYS0000000136 | <i>Anas querquedula</i> | Garganey | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NBNSYS0000000254 | <i>Plegadis falcinellus</i> | Glossy ibis | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530170 | <i>Aquila chrysaetos</i> | Golden eagle | 50km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530518 | <i>Oriolus oriolus</i> | Golden oriole | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530520 | <i>Otis tarda</i> | Great bustard | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530172 | <i>Ardea alba</i> | Great white egret | 50km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| | | | | | | |
| NHMSYS0000530302 | <i>Coccothraustes coccothraustes</i> | Hawfinch | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530294 | <i>Circus cyaneus</i> | Hen harrier | 10km | Location of breeding pairs and regular non-breeding roosts | Persecution - the species is threatened by targeted harm | |
| NHMSYS0000530357 | <i>Falco subbuteo</i> | Hobby | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530550 | <i>Pernis apivorus</i> | Honey buzzard | 50km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530332 | <i>Dendrocopos minor</i> | Lesser Spotted Woodpecker | 1km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530414 | <i>Ixobrychus minutus</i> | Little bittern | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530348 | <i>Egretta garzetta</i> | Little egret | 1km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NBNSYS0000000162 | <i>Charadrius dubius</i> | Little ringed plover | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0001688285 | <i>Sternula albifrons</i> | Little tern | 2km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530181 | <i>Asio otus</i> | Long-eared owl | 10km | Location of breeding pairs and regular non-breeding roosts | Desirability - the species is threatened with collection | |
| NHMSYS0000530293 | <i>Circus aeruginosus</i> | Marsh harrier | 2km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530128 | <i>Acrocephalus palustris</i> | Marsh warbler | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NBNSYS0000000345 | <i>Larus melanocephalus</i> | Mediterranean gull | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530743 | <i>Falco columbarius</i> | Merlin | 10km | Location of breeding pairs and regular non-breeding roosts | Desirability - the species is threatened with collection | |

| | | | | | | |
|------------------|--------------------------------|---------------------|------|--|--|--|
| NHMSYS0000530296 | <i>Circus pygargus</i> | Montagu's harrier | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530242 | <i>Caprimulgus europaeus</i> | Nightjar | 2km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NBNSYS0000005166 | <i>Hyperoodon ampullatus</i> | Northern bottlenose | 10km | | Disturbance | |
| NHMSYS0000530119 | <i>Accipiter gentilis</i> | Northern goshawk | 10km | Location of breeding pairs | Persecution - the species is threatened by targeted harm | |
| NBNSYS0000000292 | <i>Pandion haliaetus</i> | Osprey | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530354 | <i>Falco peregrinus</i> | Peregrine | 10km | Location of breeding pairs | Persecution - the species is threatened by targeted harm | |
| NBNSYS0000000189 | <i>Anas acuta</i> | Pintail | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530423 | <i>Lanius collurio</i> | Red-backed shrike | 50km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530800 | <i>Pyrrhocorax pyrrhocorax</i> | Red-billed chough | 10km | Location of breeding pairs and regular non-breeding roosts | Desirability - the species is threatened with collection | |
| NBNSYS0000000364 | <i>Sterna dougallii</i> | Roseate tern | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0021003584 | <i>Calidris pugnax</i> | Ruff | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530443 | <i>Locustella luscinioides</i> | Savi's warbler | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530180 | <i>Asio flammeus</i> | Short-eared owl | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530147 | <i>Anas clypeata</i> | Shoveler | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530787 | <i>Porzana porzana</i> | Spotted crane | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530223 | <i>Burhinus oediconemus</i> | Stone-curlew | 10km | Location of breeding pairs and regular non-breeding roosts | Desirability - the species is threatened with collection | |
| NHMSYS0021004297 | <i>Linaria flavirostris</i> | Twite | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530803 | <i>Rallus aquaticus</i> | Water rail | 1km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0001688302 | <i>Poecile montanus</i> | Willow tit | 1km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0000530459 | <i>Lullula arborea</i> | Woodlark | 2km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| NHMSYS0001688279 | <i>Larus michahellis</i> | Yellow-legged gull | 10km | Location of breeding pairs | Desirability - the species is threatened with collection | |
| Crickets | | | | | | |
| NHMSYS0001387363 | <i>Gryllus campestris</i> | Field cricket | 2km | No sensitive attributes | Fragility - this species is acutely vulnerable to disturbance or physical harm | |

| | | | | | |
|-------------------------|---|------------------------|------|-------------------------|---|
| NBNSYS0000006818 | <i>Decticus verrucivorus</i> | Wart biter | 2km | No sensitive attributes | Fragility - the species is acutely vulnerable to disturbance or physical harm. Desirability - the species is threatened by collection |
| Crustaceans | | | | | |
| NBNSYS00000188515 | <i>Palinurus elephas</i> | Crawfish | 10km | | Commercial and recreational fishing is threatening stocks |
| Ferns | | | | | |
| NHMSYS00000458186 | <i>Dryopteris cristata</i> | Crested buckler-fern | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000002028 | <i>Trichomanes speciosum</i> | Killarney fern | 10km | | Desirability - the species is threatened with collection |
| NHMSYS00000465076 | <i>Woodsia ilvensis</i> | Oblong woodsia | 10km | | Desirability - the species is threatened with collection |
| NHMSYS00000459844 | <i>Hymenophyllum tunbrigense</i> | Tunbridge filmy-fern | 10km | | Desirability - the species is threatened with collection |
| Fish | | | | | |
| NHMSYS0020193672 | <i>Hippocampus guttulatus</i> | Long-snouted seahorse | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000040792 | <i>Hippocampus hippocampus</i> | Short-snouted seahorse | 10km | | Desirability - the species is threatened with collection |
| Flowering plants | | | | | |
| NHMSYS00000460957 | <i>Neotinea ustulata</i> | Burnt orchid | 10km | | Desirability - the species is threatened with collection |
| NHMSYS00000457916 | <i>Dactylorhiza incarnata subsp. ochroleuca</i> | Early marsh orchid | 10km | | Desirability - the species is threatened with collection |
| NHMSYS00000461300 | <i>Ophrys sphegodes</i> | Early spider-orchid | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000002318 | <i>Ophrys insectifera</i> | Fly orchid | 10km | | Desirability - the species is threatened with collection |
| NBNSYS00000039919 | <i>Gentianella ciliata</i> | Fringed Gentian | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000002295 | <i>Epipogium aphyllum</i> | Ghost orchid | 10km | | Fragility - the species is acutely vulnerable to disturbance or physical harm. Desirability - the species is threatened by collection |
| NHMSYS00000461332 | <i>Orchis purpurea</i> | Lady orchid | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000002284 | <i>Cypripedium calceolus</i> | Lady's slipper orchid | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000002316 | <i>Ophrys fuciflora</i> | Late spider-orchid | 10km | | Desirability - the species is threatened with collection |
| NHMSYS00000459709 | <i>Himantoglossum hircinum</i> | Lizard orchid | 10km | | Desirability - the species is threatened with collection |

| | | | | | |
|--|----------------------------------|------------------------------|------|----------------------|--|
| NHMSYS0000461315 | <i>Orchis anthropophora</i> | Man orchid | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000002321 | <i>Orchis militaris</i> | Military orchid | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000002322 | <i>Orchis simia</i> | Monkey orchid | 10km | | Desirability - the species is threatened with collection |
| NHMSYS0000462153 | <i>Pulsatilla vulgaris</i> | Pasqueflower | 10km | | Desirability - the species is threatened with collection |
| NHMSYS0000457046 | <i>Cephalanthera rubra</i> | Red helleborine | 10km | | Desirability - the species is threatened with collection |
| NHMSYS0000463460 | <i>Serapias parviflora</i> | Small-flowered tongue-orchid | 10km | | Desirability - the species is threatened with collection |
| NBNSYS0000004571 | <i>Crepis foetida</i> | Stinking hawk's-beard | 10km | | Persecution - the species is threatened by targeted harm |
| NBNSYS0000003054 | <i>Minuartia stricta</i> | Teesdale sandwort | 10km | | Fragility - this species is acutely vulnerable to disturbance or physical harm |
| NHMSYS0000459073 | <i>Gladiolus illyricus</i> | Wild gladiolus | 10km | | Fragility - the species is acutely vulnerable to disturbance or physical harm |
| Fungi | | | | | |
| NHMSYS0001484046 | <i>Hericium erinaceus</i> | Bearded tooth fungus | 10km | Site name / locality | Desirability - the species is threatened with collection |
| NBNSYS0000162262 | <i>Geastrum berkeleyi</i> | Berkley's Earthstar | 10km | Site name / locality | Desirability - the species is threatened with collection |
| NBNSYS0000020829 | <i>Hericium coralloides</i> | Coral tooth fungus | 10km | Site name / locality | Desirability - the species is threatened with collection |
| NBNSYS0000041914 | <i>Geastrum elegans</i> | Elegant Earthstar | 10km | Site name / locality | Desirability - the species is threatened with collection |
| NHMSYS0001476600 | <i>Calocybe favrei</i> | Gilded Domecap | 10km | Site name / locality | Desirability - the species is threatened with collection |
| NBNSYS0000041930 | <i>Myriostoma coliforme</i> | Pepper pot fungus | 10km | Site name / locality | Desirability - the species is threatened with collection |
| BMSSYS0000008012 | <i>Hericium cirrhatum</i> | Tiered tooth fungus | 10km | Site name / locality | Desirability - the species is threatened with collection |
| Lichen | | | | | |
| There are no lichens on the England list | | | | | |
| Mammals | | | | | |
| NHMSYS0000080191 | <i>Meles meles</i> | Badger | 1km | Location of setts | Badger baiting and killing |
| NHMSYS0000080178 | <i>Barbastella barbastellus</i> | Barbastelle bat | 1km | | Destruction/damage to roost, disturbance to roost/individuals, killing and injury to individual(s) |
| NHMSYS0000528024 | <i>Myotis bechsteinii</i> | Bechstein's bat | 1km | | Destruction/damage to roost, disturbance to roost/individuals, killing and injury to individual(s) |
| NHMSYS0000080176 | <i>Rhinolophus ferrumequinum</i> | Greater horseshoe bat | 1km | | Destruction/damage to roost, disturbance to roost/individuals, killing and injury to individual(s) |

| | | | | | | |
|-----------------------|-----------------------------------|----------------------------|------|--|--|--|
| NHMSYS0000080182 | <i>Myotis myotis</i> | Greater mouse-eared bat | 1km | | Destruction/damage to roost, disturbance to roost/individuals, killing and injury to individual(s) | |
| NBNSYS0000005103 | <i>Plecotus austriacus</i> | Grey long-eared bat | 1km | | Destruction/damage to roost, disturbance to roost/individuals, killing and injury to individual(s) | |
| NHMSYS0000080214 | <i>Muscardinus avellanarius</i> | Hazel dormouse | 1km | | Disturbance at breeding sites due to curiosity/interest | |
| NHMSYS0000080177 | <i>Rhinolophus hipposideros</i> | Lesser horseshoe bat | 1km | | Destruction/damage to roost, disturbance to roost/individuals, killing and injury to individual(s) | |
| NBNSYS0000005133 | <i>Lutra lutra</i> | Otter | 1km | | Destruction/damage to natal holts, killing of individuals | |
| NHMSYS0000080190 | <i>Martes martes</i> | Pine marten | 1km | | Persecution, deliberate killing | |
| NBNSYS0000188733 | <i>Odobenus rosmarus</i> | Walrus | 10km | | Disturbance | |
| Marine mammals | | | | | | |
| NBNSYS0000188751 | <i>Delphinapterus leucas</i> | Baluga whale | 10km | | Disturbance | |
| NHMSYS0000376912 | <i>Mesoplodon densirostris</i> | Blainville's beaked whale | 10km | | Disturbance | |
| NBNSYS0000005163 | <i>Balaenoptera musculus</i> | Blue whale | 10km | | Disturbance | |
| NHMSYS0000376882 | <i>Balaena mysticetus</i> | Bowhead whale | 10km | | Disturbance | |
| NBNSYS0000005179 | <i>Tursiops truncatus</i> | Common bottlenosed dolphin | 10km | | Disturbance | |
| NBNSYS0000005167 | <i>Ziphius cavirostris</i> | Cuvier beaked whale | 10km | | Disturbance | |
| NBNSYS0000005174 | <i>Pseudorca crassidens</i> | False killer whale | 10km | | Disturbance | |
| NBNSYS0000005160 | <i>Balaenoptera physalus</i> | Fin whale | 10km | | Disturbance | |
| NHMSYS0000376810 | <i>Lagenodelphis hosei</i> | Fraser dolphin | 10km | | Disturbance | |
| NBNSYS0000188757 | <i>Mesoplodon europaeus</i> | Gervais beaked whale | 10km | | Disturbance | |
| NBNSYS0000005137 | <i>Halichoerus grypus</i> | Grey seal | 10km | | Disturbance | |
| NBNSYS0000005172 | <i>Phocoena phocoena</i> | Harbour porpoise | 10km | | Disturbance | |
| NBNSYS0000005135 | <i>Phoca vitulina</i> | Harbour seal | 10km | | Disturbance | |
| NBNSYS0000005173 | <i>Orcinus orca</i> | Killer whale | 10km | | Disturbance | |
| NHMSYS0000080193 | <i>Globicephala melas</i> | Long-finned pilot whale | 10km | | Disturbance | |
| NHMSYS0000080197 | <i>Peponocephala electra</i> | Melon-headed whale | 10km | | Disturbance | |
| NHMSYS0000080192 | <i>Balaenoptera acutorostrata</i> | Minke whale | 10km | | Disturbance | |

| | | | | | | |
|------------------|--|-----------------------------|------|-------------------------|--|--|
| NBNSYS0000188753 | <i>Monodon monoceros</i> | Narwhal | 10km | | Disturbance | |
| NHMSYS0000376656 | <i>Eubalaena glacialis</i> | North Atlantic right whale | 10km | | Disturbance | |
| NHMSYS0000080198 | <i>Kogia breviceps</i> | Pygmy sperm whale | 10km | | Disturbance | |
| NHMSYS0000080194 | <i>Grampus griseus</i> | Risso dolphin | 10km | | Disturbance | |
| NBNSYS0000005181 | <i>Delphinus delphis</i> | Short-beaked common dolphin | 10km | | Disturbance | |
| NBNSYS0000005162 | <i>Balaenoptera borealis</i> | Sie whale | 10km | | Disturbance | |
| NBNSYS0000005168 | <i>Mesoplodon bidens</i> | Sowerby's beaked whale | 10km | | Disturbance | |
| NBNSYS0000163066 | <i>Physeter macrocephalus</i> | Sperm whale | 10km | | Disturbance | |
| NBNSYS0000188741 | <i>Stenella coeruleoalba</i> | Striped dolphin | 10km | | Disturbance | |
| NBNSYS0000005169 | <i>Mesoplodon mirus</i> | True beaked whale | 10km | | Disturbance | |
| NHMSYS0000080196 | <i>Lagenorhynchus albirostris</i> | White-beaked dolphin | 10km | | Disturbance | |
| NHMSYS0000080195 | <i>Lagenorhynchus acutus</i> | White-sided dolphin | 10km | | Disturbance | |
| Molluscs | | | | | | |
| NHMSYS0001702090 | <i>Margaritifera margaritifera</i> | Freshwater pearl mussel | 10km | No sensitive attributes | Persecution - the species is threatened by targeted harm | |
| NBNSYS0000177043 | <i>Pecten maximus</i> | King scallop | 10km | | Commercial fishing is damaging sea bed | |
| NHMSYS0020975316 | <i>Ostrea edulis</i> | Native oyster | 10km | | Commercial fishing is threatening stocks | |
| NBNSYS0000173626 | <i>Aequipecten opercularis</i> | Queen scallop | 10km | | Commercial fishing is damaging sea bed | |
| Mosses | | | | | | |
| NHMSYS0000309724 | <i>Cyclodictyon laetevirens</i> | Bright green cave-moss | 10km | | Desirability - the species is threatened with collection | |
| NHMSYS0000310749 | <i>Thamnobryum angustifolium</i> | Derbyshire feather-moss | 10km | | Desirability - the species is threatened with collection | |
| NBNSYS0000146090 | <i>Didymodon glaucus</i> | Glaucous beard-moss | 10km | | Desirability - the species is threatened with collection | |
| NBNSYS0000155067 | <i>Pseudocalliergon turgescens</i> (previously known as <i>Scorpidium turgescens</i>) | Turgid scorpion-moss | 10km | | Desirability - the species is threatened with collection | |
| Moths | | | | | | |
| NHMSYS0021144548 | <i>Acosmetia caliginosa</i> | Reddish buff moth | 10km | No sensitive attributes | Fragility - this species is acutely vulnerable to disturbance or physical harm. Desirability - the species is threatened by collection | |

| | | | | | | |
|------------------|---------------------------|-----------------|------|-------------------------|--|--|
| Reptiles | | | | | | |
| NBNSYS0000005075 | <i>Vipera berus</i> | Adder | 1km | Hibernacula locations | Persecution - the species is threatened by targeted harm | |
| Spiders | | | | | | |
| NBNSYS0000189355 | <i>Eresus sandaliatus</i> | Ladybird spider | 10km | No sensitive attributes | Fragility - this species is acutely vulnerable to disturbance or physical harm | |
| | | | | | | |
| | | | | | | |